



PRIMERS THAT ENSURE CLEAN RESULTS



Whether working with plasterboard, concrete or masonry, the construction chemistry product range from Protektor provides the perfect basis for achieving optimal results. Creating the proper substrate conditions is essential for any professional painting, plastering or wallpapering job. Protektor construction chemistry offers a product range that provides perfect priming tailored to the varied requirements of differing substrates. Our various primers ensure that you have a surface for all smooth, highly absorbent, poorly adhering or bleeding substrates. Water-based, solvent-free and eco-friendly bonding primers – for a professional result.

- ▶ **Betonkontakt (Concrete contact)** – Bonding coat on smooth. Concrete Bonding coat for gypsum plaster, gypsum-based render systems and and lime plaster.
- ▶ **Aufbrennsperre (Absorbent substrate primer)** – Reduces suction. Primer for substrates with high or varying absorbency.
- ▶ **Putzgrund (Plaster primer)** – white-pigmented bonding primer. Containing quartz e.g. before the application of decorative plasters.
- ▶ **Tiefengrund (Deep primer)** – solvent-free, unpigmented, deep penetrating primer. Primer for stabilising chalky and sandy substrates.
- ▶ **Sperrgrund (Barrier primer)** – isolating and sealing primer For sealing bleed-through substances e.g. for decorative plasters and renders.

PERFEKT VORBEREITET
PROTEKTOR BAUCHEMIE

Die Gipsarten, Betone oder Mauerwerke, mit Bauchemie von Protektor haben Sie die Grundlage für ein gelingendes Ergebnis. Die Qualität der richtigen Untergrundvorbereitung ist ausschlaggebend für professionelles Maler-, Putz- und Tapezierarbeiten. Bauchemie Bauchemie bietet Ihnen diese Fundamentierung für eine perfekte Ausführung abhängig von der jeweiligen Anforderung der jeweiligen Baustelle. Mit unserer unterschiedlichen Bauchemie haben Sie jetzt die vollständige Lösung für alle glatten, stark saugenden, zu weitgehend oder durchlöchernden Untergründe: Betonkontakt, Aufbrennsperre, Putzgrund und Tiefengrund – Bauchemie, das alles – für ein gelingendes Ergebnis.

- ✓ **Betonkontakt** – Haftbrücke auf glatten Beton
- ✓ **Aufbrennsperre** – Haftbrücke auf glatten Beton
- ✓ **Putzgrund** – Haftbrücke auf glatten Beton
- ✓ **Tiefengrund** – Haftbrücke auf glatten Beton
- ✓ **Sperrgrund** – Haftbrücke auf glatten Beton

PROTEKTOR
PROFIL FÜR
MODERNE
BAUEN

MASSKREISE

PROTEKTOR

PERFEKT VORBEREITET
PROTEKTOR BAUCHEMIE

www.protektor.com



Concrete Contact primer

Bonding bridge on an even floor. Bonding bridge for system plaster and adhesive binder on smooth concrete.

- alkali resistant
- red pigmentation
- for interiors
- ready to use or as a concentrate.



Item number	Description	Order number	Usage	Contents	Pallet contents
1440	Concrete Contact primer	115141	Approx. 200 - 300 g/m ² depending on substrate.	20 kg	32 EIM
1441	Concrete Contact primer	114571	Approx. 200 - 300 g/m ² depending on substrate.	6 kg	70 EIM

Primer absorb. substr.

Reduces absorbency. Apply primer to substrates with high or varying absorbency.

- high alkali-resistance
- yellow pigmentation
- for interiors and exteriors
- ready to use.



Item number	Description	Order number	Usage	Contents	Pallet contents
1442	Primer absorb. substr.	115142	Approx. 100–200 ml/m ² depending on substrate.	15 L	32 EIM
1482	Primer absorb. substrate Concentrate	115143	Approx. 50–100 ml/m ² (concentrate) depending on the substrate.	15 L	32 EIM

Barrier primer

Isolation and sealing primer. Primer for critical mineral, substrates that show through, e.g. for decorative plaster.

- specially made to prevent against bleeding materials
- improves mechanical bond
- white pigmentation
- for interiors and exteriors
- ready to use.



Item number	Description	Order number	Usage	Contents	Pallet contents
1448	Barrier primer	115140	Approx. 200–300 g/m ² depending on substrate.	15 kg	32 EIM
1449	Barrier primer	114579	Approx. 200–300 g/m ² depending on substrate.	6 kg	70 EIM

Plaster base

Acrylic pigmented undercoat Bonding agent, e.g. prior to applying decorative plasters.

- evens the absorbency of the substrate
- breathable
- weatherproof
- for interior and exteriors
- ready to use and as a concentrate



Item number	Description	Order number	Usage	Contents	Pallet contents
1444	Plaster base	115144	Approx. 200–300 g/m ² depending on substrate.	20 kg	32 EIM
1445	Plaster base	114575	Approx. 200–300 g/m ² depending on substrate.	6 kg	70 EIM

Penetrating primer LF

Solution-free primer. Non-pigmented primer for strengthening chalky and sandy substrates.

- for mineral substrates
- reduces and evens out absorbency
- for interiors and exteriors
- ready to use.

Item number	Description	Order number	Usage	Contents	Pallet contents
1446	Penetrating primer LF	115443	Approx. 100–250 ml/m ² depending on substrate.	10 L	50 KAN
1447	Penetrating primer LF	115444	Approx. 100–250 ml/m ² depending on substrate.	5 L	96 KAN

